Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	1874	(backup or archiv$3) near database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L9	78	L8 and ((recover$4 or recop$3) with (automatic$5 or manual$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L10	7	L9 and (707/202).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L11	3	L9 and (707/200).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L12	3	L9 and (707/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L13	13	L9 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L14	12	13 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:51
L15	3	12 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:52

|						
L16	52	9 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:53
L17	12	16 and (automatic$4 with program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:53
L18	7	16 and (automatic$4 with initiat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:53
S1	0	"059511".apn.	USPAT	OR	OFF	2004/12/16 11:16
S2	1	"059511".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:59
S3	1	("6131087").PN.	USPAT	OR	OFF	2004/12/16 11:31
S4	0	("20010049615").PN.	USPAT	OR	OFF	2004/12/16 11:32
S5	2	("20010049615").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:47
S6	2	("20010047276").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:47
S7	43561	(exchange with (suppl$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:00
S8	388	S7 and (match$3 with product$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:01

S9	111	S8 and (catalog with suppli$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:02
S10	1	S9 and (build$4 with tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:03
S11	101	S9 and (build$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:03
S12	98	S11 and buy$4 and sell$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:04
S13	96	S12 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:51
S14	0	S13 and (exchange with catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:05
S15	0	S13 and (exchange with categor$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:05
S16	96	S13 and (exchange with product$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:28

S17	1	S16 and fulfill$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:41
S18	0	S16 and (search$ with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:42
S19	95	S16 and (integrat$ with solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:42
S20	1	S16 and (integrat$ adj solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:43
S21	1	S16 and (search$3 with catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:43
S22	2	"5555371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:21
S23	2	"6505216".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:35
S24	2	"6085298".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:56

S25	1874	(backup or archiv$3) near database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:36
S26	115	S25 and ((recover$4 or recop$3) with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:36
S27	78	S25 and ((recover$4 or recop$3) with (automatic$5 or manual$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:37
S28	23	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:39
S29	15	S28 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:40
S30	10	S29 and (miss$3 or corrupt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:51
S31	8	S29 and (miss$3 or corrupt$3) and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:51
S32	8	S31 and (simultaneous$2 or parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50

| S33 | 0 | S31 and (asynchronous$2 with (simultaneous$2 or parallel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/02 16:52 |

Google™

automatic recovery initiate asynchronous d| **Search**   Advanced Search
Preferences

Web Results **1** - **10** of about **11** for <u>automatic</u> <u>recovery</u> <u>initiate</u> <u>asynchronous</u> <u>database</u> <u>stream"arc</u>|

<u>Log Apply Services</u>
... and reporting activities **simultaneously** to the logical standby **database**. ...
If **asynchronous** I/O is supported, the **recovery** time may be only slightly ...
www.lc.leidenuniv.nl/awcourse/ oracle/server.920/a96653/standbyreco.htm - 133k -
<u>Cached</u> - <u>Similar pages</u>

<u>Oracle8i New Features</u>
... for determining how to **initiate recovery** for restoring the **database** to a ...
even while **archive logs** are being copied from the primary **database** site. ...
lbd.epfl.ch/f/teaching/courses/ oracle8i/server.815/a68020/ch2.htm - 284k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Application **Recovery** Tool</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... 7-13 DB2 **recovery** job **stream** generated by ART DRMRECOV . ... You can **initiate**
recovery using one. of followings:. The **database recovery** (DFSURDB0) ...
www.redbooks.ibm.com/redbooks/pdfs/sg246837.pdf - <u>Similar pages</u>

[DOC] <u>SECTION 1</u>
File Format: Microsoft Word 97 - <u>View as HTML</u>
... Audit □ This function initiates services to maintain/**archive logs**. ...
operate concurrently and **simultaneously** but are **asynchronous** in nature. ...
www.sdrforum.org/MTGS/mtg_20_sep00/ christensen_sys_cont_9_05.doc - <u>Similar pages</u>

[PDF] <u>Enterprise DBA Part 1B: Backup and **Recovery** Workshop</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... In on-demand block level **recovery**, user transactions **initiate** rollback ...
This allows for **automatic recovery** of transactions in the event of a **database** ...
www.laiwu.lm.molss.gov.cn/ORACLE%208I官方教材/ Backup%20and%20Recovery%20(Vol1)%

20Student%20Guide.pdf - <u>Similar pages</u>

<u>Glossary of Terms</u>
... that cannot be resolved by **recovery** facilities while the task is executing
... batches daily, the **archive logs** are shipped as they are created. ...
www.isaca.org/glossary.htm - 263k - <u>Cached</u> - <u>Similar pages</u>

<u>Item of MQSER-L DBNAMES</u>
... monitor resources and execute event driven **automatic recovery** actions. ...
one would have to keep lots of **archive LOGs** to assure queue manager **recovery**? ...
www.sjg-enterpriseintegration.com/ websphere%20mq%20listserver%209707.asp - 513k -
<u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Oracle8</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... This is important for determining how to **initiate recovery** for ... **archive logs**
are being copied from the primary **database** site. ...

Google

Web Images Groups News Froogle Local^{New!} **more »**

automatic recovery "without initiate" asynch   Search   Advanced Search
                                                        Preferences

Web

Tip: Try removing quotes from your search to get more results.

Your search - **automatic recovery "without initiate" asynchronous database stream"archive logs" simultaneously** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

www.csee.umbc.edu/help/oracle8/server.815/a68020.pdf - <u>Similar pages</u>

[DOC] <u>Oracle 9i New Features for Administrators</u>
File Format: Microsoft Word 2000 - <u>View as HTML</u>
... example, or perhaps perform some **automatic** □fixit□-type of ... Configure retention policy
to **recovery** window of 5 ... Default Devices: For automated backups, you can ...
www.geocities.com/lydian_third/books/9inf.doc - Supplemental Result - <u>Similar pages</u>

[PDF] <u>patchNB_34_4.ONLINE_README NB-CLIENT 3.4GA/3.4.1GA/3.4 ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... themselves, we do not need to **initiate** cleaning ... For Windows, this is volmgr**database**\
NO_TAPEALERT ... are configured as cleaning slots for **automatic** robotic cleaning ...
myhome.spu.edu/prand/stuff/unix/NB_34_4/250018.pdf - Supplemental Result - <u>Similar pages</u>

*In order to show you the most relevant results, we have omitted some entries very
similar to the 10 already displayed.*
If you like, you can <u>repeat the search with the omitted results included</u>.

Free! Google Desktop Search: Search your own computer. <u>Download now</u>.

| **Find:** ☑ emails - 📄 files - 👥 chats - 🖥 web history - 🎵 media - 📕 PDF |

automatic recovery initiate async| Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2005 Google